

FOR CONTRACTORS

TRUEFLOAT



THE EASY WAY TO BUILD FLOATATION BLOCKS, DOCKS, BOATS AND RAFTS.


Help your customers enjoy their waterfront property by building them
a customized floatation device.



CUSTOMIZE YOUR CUSTOMER'S FLOATATION DESIGNS WITH EXACT SPECIFICATIONS, FROM A SMALL SUN-TANNING RAFT TO A DIVING WHARF FOR THE KIDS OR EVEN A SPACIOUS DOCK.

Made from Expanded Polystyrene (EPS) right here in Atlantic Canada, TrueFloat helps you provide your customers with safe, lightweight solutions for their waterfront leisure.

WHY ARE CONTRACTORS CHOOSING TRUEFLOAT?



- **Variety of sizes:** Standard TrueFloat blocks are 2'x 4'x 8' but custom sizes are available upon request.
- **Strength and durability:** TrueFloat will last for many years if protected with dock framing and removed from the water annually to allow drying.
- **Numerous uses:** Homeowners love that TrueFloat can be made into flotation blocks for docks, wharves and more.
- **Design recommendation:** When installing TrueFloat, maintain space between the blocks for water displacement to ensure a stable dock.
- **Ideal for use within:** lakes, ponds, rivers and oceans.



LOWER ENERGY COSTS. LONGER COMFORT.

We believe in helping building owners save as much as possible. That's why we designed our products to reduce heating costs and protect the integrity and long-term comfort of both commercial and residential buildings.



709.258.5890 · www.nfstyro.com

TRUEFLOAT

Now you can build your own floatation with TrueFloat and enjoy your river, lake, pond or oceanfront more than ever.

Flotation blocks, docks, boats, rafts and more.

FLOATATION CHART

Thickness	2'x 4' Cubic Ft.	Weight Supported	4'x 8' Cubic Ft.	Weight Supported	2'x 8' Cubic Ft.	Weight Supported
4"	2.67	160 lbs	10.67	640 lbs	5.33	320 lbs
6"	4.0	240 lbs	16.0	960 lbs	8.00	480 lbs
8"	5.33	319 lbs	21.33	1280 lbs	10.67	640 lbs
10"	6.67	400 lbs	26.67	1600 lbs	13.33	800 lbs
12"	8.00	480 lbs	32.0	1920 lbs	16.00	960 lbs
14"	9.33	559 lbs	37.33	2240 lbs	18.67	1120 lbs
16"	10.67	642 lbs	42.67	2560 lbs	21.33	1280 lbs
18"	12.0	720 lbs	48.0	2880 lbs	24.00	1440 lbs
"20	13.33	800 lbs	53.33	3200 lbs	26.27	1600 lbs
"22	14.67	880 lbs	58.67	3520 lbs	29.33	1760 lbs
"24	16.0	960 lbs	64.0	3840 lbs	32.00	1920 lbs





709.258.5890 • www.nfstyro.com